


# 16FN | C511L

Der 16FN ist ein vielseitiges Gerät mit ultrakompaktem Formfaktor, leisem Betrieb und robuster Konstruktion. Der 16FN kann im 2-in-1U-Rack oder an der Wand montiert werden und macht sich auch auf dem Schreibtisch gut.

## PERFECT FOR



## NOISE

4dB

## EFFICIENCY



## PRODUCT DETAILS


### SYSTEM SPECIFICATIONS

|                        |   |
|------------------------|---|
| <b>CPU:</b>            | Intel i5-1135G7 2.6GHz 4C/8T            |
| <b>RAM:</b>            | 8GB Crucial DDR4 3200MHz SODIMM         |
| <b>HDD:</b>            | 500GB M.2 NVmE Crucial P3 SSD           |
| <b>DVD:</b>            | No DVD drive bay                        |
| <b>GFX Output:</b>     | Intel Iris Xe with 2x HDMI Output(s)    |
| <b>GFX Card:</b>       | None                                    |
| <b>LAN:</b>            | Intel i225LM (2.5Gb/s)                  |
| <b>WLAN:</b>           | Not Quoted - Internal Wi-Fi & BT Option |
| <b>USB Ports Rear:</b> | 1x USB2.0, 1x USB3.2                    |
| <b>Serial Ports:</b>   | 1 Optional Ports Available              |
| <b>PSU:</b>            | 120W 100-240VAC 60-50Hz                 |
| <b>Lead Time:</b>      | 5 Working Days                          |
| <b>Thunderbolt:</b>    | 2x Gen3 Ports                           |
| <b>Warranty:</b>       | Standard Only                           |

### CASE INFORMATION

|                          |                                 |
|--------------------------|---------------------------------|
| <b>Front USB:</b>        | 1x USB3.0                       |
| <b>Hot Swap HDD Bay:</b> | Not available with this case    |
| <b>PCIe Slots:</b>       | Not available with this case    |
| <b>Power Supply:</b>     | 110-230VAC, 12V-20 VDC or PoE++ |
| <b>Weight:</b>           | 3 KG                            |
| <b>Size:</b>             | 220x180x44mm                    |

### MOTHERBOARD IO PORTS



To discuss your requirements or get a bespoke solution for your rack mountable PC needs, please **contact us today**.

**+49 (0)6187 290150**  
**sales@g2digital.de**